

- Vienna/Austria, Vienna University of Technology.
- [9] Schwarz K, Blaha P. (2003). Solid state calculations using WIEN2k. *Computational Materials Science* 28: 259-273. [http://dx.doi.org/10.1016/S0927-0256\(03\)00112-5](http://dx.doi.org/10.1016/S0927-0256(03)00112-5)
- [10] Perdew JP, Burke K, Wang Y. (1996). Generalized gradient approximation for the exchange-correlation hole of a many-electron system. *Physical Review B* 54: 16533-16539. <http://dx.doi.org/10.1103/PhysRevB.54.16533>
- [11] Monkhorst HJ, Pack JD. (1976). Special points for Brillouin-zone integrations. *Physical Review B* 13: 5188-5192. <http://dx.doi.org/10.1103/PhysRevB.13.5188>
- [12] Murnaghan FD. (1944). A modern presentation of quaternions. *Proceedings of the Royal Irish Academy Section A: Mathematical and Physical Sciences* 50: 104-112.
- [13] Hill R. (1952). The elastic behaviour of a crystalline aggregate. *Proceedings of the Physical Society Section A* 65(5): 349-354. <http://dx.doi.org/10.1088/0370-1298/65/5/307>
- [14] Demchyna R, Chykhrij S, Kuz'ma YB. (2002). Y-Cu-P system. *Journal of Alloys and Compounds* 345: 170-174. [http://dx.doi.org/10.1016/S0925-8388\(02\)00432-2](http://dx.doi.org/10.1016/S0925-8388(02)00432-2)
- [15] Daou J, Bonnet J. (1974). A new behaviour of the interstitial element H or D in solution in rare-earth metal. *Journal of Physics and Chemistry of Solids* 35: 59-65. [http://dx.doi.org/10.1016/0022-3697\(74\)90011-0](http://dx.doi.org/10.1016/0022-3697(74)90011-0)
- [16] Beaudry B, Gschneidner K. (1978). Preparation and basic properties of the rare earth metals. *Handbook on the Physics and Chemistry of Rare Earths* 1: 173-232.
- [17] Wang Y, Curtarolo S, Jiang C, Arroyave R, Wang T, Ceder G, et al. (2004). Ab initio lattice stability in comparison with CALPHAD lattice stability. *Calphad* 28: 79-90. <http://dx.doi.org/10.1016/j.calphad.2004.05.002>
- [18] Subramanian PR, Laughlin D. (1988). The Cu-Lu (copper-lutetium) system. *Bulletin of AlloyPhase Diagrams* 9: 358-418.
- [19] Iandelli A, Palenzona A. (1971). The ytterbium-copper system. *Journal of the Less Common Metals* 25: 333-335.
- [20] Storm A, Benson K. (1963). Lanthanide-copper intermetallic compounds having the CeCu₂ and AlB₂ structure. *Acta Crystallographica* 16: 701-702. <https://doi.org/10.1107/S0365110X6300181X>
- [21] Dwight A. (1959). CsCl-type equiatomic phases in binary alloys of transition elements. *Transactions of the American Institute of Mining and Metallurgical Engineers* 215: 283-286.
- [22] Fitzner K, Kleppa O. (1997). Thermochemistry of binary alloys of transition metals: The systems Me-Gd, Me-Ho, and Me-Lu (Me= Cu, Ag, and Au). *Metallurgical and Materials Transactions A* 28: 187-190. <https://doi.org/10.1007/s11661-997-0094-6>
- [23] Meschel S, Kleppa O. (2005). Thermochemistry of some binary alloys of copper with the lanthanide metals by high-temperature direct synthesis calorimetry. *Journal of Alloys and Compounds* 388: 91-97. <http://dx.doi.org/10.1016/j.jallcom.2004.08.062>
- [24] Wu ZJ, Zhao EJ, Xiang HP, Hao XF, Liu XJ, Meng J. (2007). Crystal structures and elastic properties of superhard IrN₂ and IrN₃ from first principles. *Physical Review B* 76: 054115. <https://doi.org/10.1103/PhysRevB.76.054115>
- [25] Reuss A. (1929). Calculation of the flow limits of mixed crystals on the basis of the plasticity of monocrystals. *Z Angew Math Mech* 9: 49-58.
- [26] Voigt W. (1928). *Lehrbuch der kristallphysik (mit ausschluss der kristalloptik)*. Edited by bg Teubner and Jw Edwards, Leipzig Berlin. Ann Arbor, Mich.

NOMENCLATURE

V_0	equilibrium volume
E_0	internal energy
E_{tot}	Total energy
B_0	bulk modulus
B'	derivative of the bulk modulus
ΔH^f	enthalpy of formation of the compound
C_{ij}	Elastic stiffness constants