









**Figure 10.** Patients High Blood pressure is observed and finding the location of the patient through GPS

In this proposed work, I have utilized four differing sensors to watch the patient's health. According to the patients necessity specialist will set the periodicity of the examination in the machine. As per that the patient can experience the registration and the consequence of his health condition will be sent to the specialist instantly through an instant message utilizing GSM.

## 5. CONCLUSION

The repm system provides support and continuous monitoring of an epileptic seizure patient. the sensors identifies the physiological conditions of the patient. The muscular movements are categorized into activity and rest state of the body and the seizures are detected by observing vibrations occurring in the extremities or sudden fall because of the effect of seizure. the results are promising and are better than existing method for identification epilepsy seizure. to stay away from sudden medical issues and get more tactice in determination of the physiological states, proficient and exhaustive information gathering, observing and control assume a vital part to enhance the health care system more dependable and powerful.

## REFERENCES

[1] Chipara O, Lu C, Bailey TC, Roman GC. (2009). Breliable patient monitoring: A clinical study in a step-down hospital unit, [Dept. Comput. Sci. Eng., Washington Univ. St. Louis, St. Louis, Mo, Tech. Rep.Wucse-2009- 82, Dec. 2009.

[2] Ko J, Lim J, Chen Y, Musaloiu RE, Terzis A, Masson G, Gao T, Destler W, Selavo L, Dutton R. (2010). Bmedisn: Medical emergency detection in sensor networks. *Acm*

*Trans. Embedded Comput. Syst.* 10(1): 11:1–11:29, Article 11.

[3] Lorincz K, Chen B, Challen GW, Chowdhury AR, Patel S, Bonato P, Welsh M. (2009). Bmercury: A wearable sensor network platform for high-fidelity motion analysis. In *Proc. 7th Acm Conf. Embedded Netw. Sensor Syst.*, pp. 353–366.

[4] Yager P, Edwards T, Fu E, Helton K, Nelson K, Tam MR, Weigl BH. (2006). Bmicrofluidic Diagnostic technologies for global public health. *Nature* 442(7101): 412–418.

[5] Mohseni P, Najafi K. (2005). A 1.48-Mw low-phase-noise analog frequency modulator for wireless biotelemetry. *IEEE Trans. Biomed. Eng.* 52: 938-943.

[6] Coosemans J, Puers R. (2005). An autonomous bladder pressure monitoring system. *Sens. Actuat. A*, 123-124, 155-161.

[7] Troyk P, Schwan M. (1992). Closed-loop class e transcutaneous power and data link for microimplants. *IEEE Trans. Biomed. Eng.* 39: 589-599.

[8] Mohseni P, Najafi K, Eliades S, Wang X. (2005). Wireless multichannel biopotential recording using an integrated fm telemetry circuit. *IEEE Trans. Neural Syst. Rehabil. Eng.* 13: 263-271.

[9] Quwaider M, Biswas S. (2008). Body posture identification using hidden markov model with a wearable sensor network. In *Proceedings of the Icast 3rd International Conference on Body Area Networks*, Tempe, Az, Usa, pp. 1-8.

[10] Mark AH, Harry CP, Jr Adam TB, Kyle R, Benton HC, James HA, John L. (2009). *Body area sensor networks: Challenges and opportunities*. IEEE Computer Society: Atlantic City, Nj, Usa, pp. 58-65.

[11] Lo B, Yang GZ. (2005). Key technical challenges and current implementations of body sensor networks 2005. <http://ubimon.doc.ic.ac.uk/bsn/public/bsn-2005-benlo.pdf>

[12] Seyyed M, et al. (2011). Fuzzy logic expert systems in hos-pital: a foundation view. *Journal of Applied Sciences* 11(12): 2106-2110.

[13] Goh KW, Lavanya J, Kim Y, Tan EK, Soh CB. (2005). A pdabased ecg beat detector for home cardiac care. In *IEEE Engineering in Medicine and Biology Society*, Shanghai, China, pp. 375-378.

[14] Chu HT, Huang CC, Lian ZH, Tsai TJP. (2006). A ubiquitous warning system for asthma inducement. In *IEEE International Conference on Sensor Networks, Ubiquitous and Thrustworthy Computing*, Taichung, Taiwan, pp. 186-191.

[15] Lin JL, Liu HC, Tai YT, Wu HS, Hsu SJ, Jaw FS, Chen YY. (2006). The development of wireless sensor network for Ecg monitoring. In *28th Annual International Conference of the IEEE, Engineering in Medicine and Biology Society*, New York, Ny, Usa, pp. 3513-3516.

[16] Taylor SA, Sharif H. (2006). Wearable patient monitoring application (ecg) using wireless sensor networks. In *28th Annual International Conference on the IEEE Engineering in Medicine and Biology Society*, New York, Ny, Usa, pp. 5977-5980.