

- antagonism of elnadipine derivatives: comparative SAR. *Eur J Med Chem* 27: 229.
- [5] Chari MA, Syamasundar K. (2005). Silica gel/NaHSO₄ catalyzed one-pot synthesis of Hantzsch 1,4-dihydropyridines at ambient temperature. *Catalysis Communications* 6: 624.
- [6] Ko S, Sastry MNV, Lin C, Yao C. (2005). Molecular iodine-catalyzed one-pot synthesis of 4-substituted-1,4-dihydropyridine derivatives via Hantzsch reaction. *Tetrahedron Letters* 46: 5771.
- [7] Akbari JD, Tala SD, Dhaduk MF, Joshi HS. (2008). Molecular iodine-catalyzed one-pot synthesis of some new Hantzsch 1,4-dihydropyridines at ambient temperature. *Arkivoc* 12: 126.
- [8] Li M, Guo WS, Wen LR, Li YF, Yang HZ. (2006). One-pot synthesis of Biginelli and Hantzsch products catalyzed by non-toxic ionic liquid (BMImSac) and structural determination of two products. *Journal of Molecular Catalysis A: Chemical* 258: 133-138.
- [9] Anniyappan M, Muralidharan D, Perumal PT. (2002). Synthesis of Hantzsch 1, 4-dihydropyridines under microwave irradiation. *Synthetic Communications* 32: 659.
- [10] Saha M, Roy S, Chaudhuri SK, Bhar S. (2008). A clean procedure for the synthesis of 1,4-dihydropyridines via Hantzsch reaction in water. *Green Chemistry Letters and Reviews* 1: 99.
- [11] Sabitha G, Reddy GSKK, Reddy CS, Yadav JS. (2003). A novel TMSI-mediated synthesis of Hantzsch 1,4-dihydropyridines at ambient temperature. *Tetrahedron Letters* 44: 4129.
- [12] Pei W, Wang Q, Li X, Sun L. (2010). Synthesis of 1,4-dihydropyridines using Ce(SO₄)₂ · SiO₂ as catalyst under solvent-free Conditions. *Chinese Journal of Chemistry* 28: 483.