



























- Canada 1233-1238.  
<https://doi.org/10.1109/CCECE.2008.4564736>
- [7] Peng C, Bai Y, Gong X, Gao QJ, Zhao CJ, Tian YT. (2015). Modeling and robust backstepping sliding mode control with adaptive RBFNN for a novel coaxial eight-rotor UAV. *IEEE/CAA Journal of Automatica Sinica* 2: 56-64. <https://doi.org/10.1109/JAS.2015.7032906>
- [8] Wai RJ, (2007). Fuzzy sliding mode control using adaptive tuning technique, *IEEE Trans. Indus. Elect* 54: 586-594. <https://doi.org/10.1109/tie.2006.888807>
- [9] Karnik NN, Mendel JM, Liang Q. (1999). Type-2 fuzzy logic systems. *IEEE Transactions on Fuzzy Systems* 7(6): 643-658. <https://doi.org/10.1109/91.811231>
- [10] Singh A, Jha M, Qureshi MF. (2014). Design of genetically tuned interval type-2 fuzzy PID controller for load frequency control (LFC) in the un-regulated power system. *AMSE Journals -2014-Series: Advances C* 69(1): 85-104.
- [11] Wu D, Tan W. (2006). A simplified type-2 fuzzy logic controller for real-time control. *ISA Transactions* 45(4): 503-510. [https://doi.org/10.1016/S0019-0578\(07\)60228-6](https://doi.org/10.1016/S0019-0578(07)60228-6)
- [12] Castillo O, Marroquín M, Melin P, Valdez F, Soria J. (2012). Comparative study of bio-inspired algorithms applied to the optimization of type-1 and type-2 fuzzy controllers for an autonomous mobile robot. *Information Sciences* 192: 19-38. <https://doi.org/10.1016/j.ins.2010.02.022>
- [13] Alwi H, Edwards C. (2013). Fault tolerant control of an octorotor using LPV based sliding mode control allocation. In: *Proceedings of the American Control Conference*. Washington, 6505-6510. <https://doi.org/10.1109/ACC.2013.6580859>
- [14] Majd S, Benjamin L, Isabelle F, Clovis F, Hassan S, Guillaume S. (2015). Fault diagnosis and fault-tolerant control strategy for rotor failure in an octorotor. In: *Proceedings of the IEEE International Conference on Robotics and Automation*. Seattle 5266-5271. <https://doi.org/10.1109/ICRA.2015.7139933>