











the best based on rating from other users, specific user as well as transaction history.

The current work does not take into consideration the sentiments expressed by the users who have already used the products it considers only numerical sentiments. There are many sentiment analysis algorithms available but those algorithms does not consider feature and demographic based information while calculating the positive and negative sentiments of the product and recommendation it to the user.

## REFERENCES

- [1] Praveena M, Bincy K, Vinayak H. (2016). Book recommendation system through content based and collaborative filtering method. 2016 International Conference on Data Mining and Advanced Computing (SAPIENCE).
- [2] Yee W.Lo; Vidyasagar P. (2009). A review of opinion mining and sentiment classification framework in social networks. 2009 3rd IEEE International Conference on Digital Ecosystems and Technologies.
- [3] L'Huillier G, Hevia A, Weber R, Ríos S, (2010). Latent semantic analysis and keyword extraction for phishing classification. 2010 IEEE International Conference on Intelligence and Security Informatics.
- [4] Sachan A, Richariya V. (2013). Survey on Recommender System based on Collaborative Technique. Department of Computer Science And Engineering international journal of innovations in engineering and technology(IJIET) 2(2): 1-7.
- [5] Tewari AS, Kumar A, Barman AG. (2014). Book recommendation system based on combine features of content based filtering and association rule mining. IEEE International I Advance Computing Conference(IACC), pp. 502.
- [6] Sie SH, Yeh JH. (2014). Library book recommendations based on latent topic aggregation. International Publishing Switzerland, 411-416.
- [7] Pranav B, Navinkumar A. (2015). Book recommendation system using opinion mining technique. International Journal of Research in Engineering and Technology(IJRET) 4(1): 333.
- [8] Sun D, Luo Z, Zhang F. (2011). A novel approach for collaborative filtering to alleviate the new item cold start problem. IEEE 11th International Symposium on Communications and Information Technologies (ISCIT) 402-406.
- [9] Xie F, Xu M, Chen Z. (2012). RBRA: A simple and efficient rating-based recommender algorithm to cope with sparsity in recommender systems. IEEE 26th International Conference on Advanced Information Networking and Applications Workshops.
- [10] Chikhaoui B, Chiazzaro M, Wang S. (2011). An Improved Hybrid Recommender System By Combining Predictions. IEEE Workshops of International Conference on Advanced Information Networking and Applications, pp. 644-649.
- [11] Deng XY, Fei F, Huang F. (2017). An effective recommendation model using user access sequence and context entropy. AMSE Journals, AMSE IIETA Publication, Series: Advances B 60(1): 57-73.
- [12] Moghaddam SG, Selamat A. (2011). A scalable collaborative recommender algorithm based on user density-based clustering. 3rd International Conference on Data Mining and Intelligent Information Technology Applications (ICMiA), pp. 246-249.