J. Acoust. Soc. Am 123(3): 1522-1543. https://doi.org/10.1121/1.2836786

[32] Langner F, Jürgens T. (2016). Forward-masked frequency selectivity improvements in simulated and actual cochlear implant users using a preprocessing algorithm. Trends Hear 20. https://doi.org/10.1177/2331216516659632

[33] Kirby VM, Nelson DA, Soli SD, Fortune TW. (1987). Channel interactions measured by forward-masked 'place' tuning curves with multichannel electrical stimulation. J. Acoust. Soc. Am 82(S1): S72-S72. https://doi.org/10.1121/1.2024956

[34] Shannon RV, Fu QJ, Galvin J. (2004). The number of spectral channels required for speech recognition depends on the difficulty of the listening situation. Acta Oto-Laryngol. Suppl (552): 50-54. https://doi.org/10.1080/03655230410017562

[35] Loizou PC, Dorman MF, Tu Z, Fitzke J. (2000). Recognition of sentences in noise by normal-hearing listeners using simulations of speak-type cochlear implant signal processors. Ann. Otol. Rhinol. Laryngol. Suppl 185: 67-68. https://doi.org/10.1016/S0165-5876(00)00419-5

[36] Loizou PC. (2006). Speech processing in vocoder-centric cochlear implants. Adv. Otorhinolaryngol 64: 109-143. https://doi.org/10.1159/000094648

[37] Dorman MF, Loizou PC, Fitzke J, Tu Z. (2000). Recognition of monosyllabic words by cochlear implant patients and by normal-hearing subjects listening to words processed through cochlear implant signal processing strategies. Ann. Otol. Rhinol. Laryngol. Suppl 185: 64-66. https://doi.org/10.1016/S0165-5876(00)00419-5

[38] Gnansia D, Péan V, Meyer B, Lorenzi C. (2009). Effects of spectral smearing and temporal fine structure degradation on speech masking release. J. Acoust. Soc. Am 125(6): 4023-4033. https://doi.org/10.1121/1.3126344

[39] Crew JD, Galvin JJ, Fu QJ. (2012). Channel interaction limits melodic pitch perception in simulated cochlear implants. J. Acoust. Soc. Am 132(5): EL429-435. https://doi.org/10.1121/1.4758770

[40] Verschuur C. (2009). Modeling the effect of channel number and interaction on consonant recognition in a cochlear implant peak-picking strategy. J. Acoust. Soc. Am 125(3): 1723-1736. https://doi.org/10.1121/1.3075554

[41] Cucis PA, Berger-Vachon C, Truy E, Thai-Van H, Millioz F, Gallego S. (2016). Cochlear implants : Influence of the coding strategy on syllable recognition in noise. AMSE J.-AMSE IFRATH Publ. –2016 Model. C 77(2): 84-97.